



Bare Aluminum Conductor AAAC

ASTM: B398 - specification for Aluminum Alloy 6201-T81 Wire for Electrical Purposes B399 - Specification for Concentric Lay-Stranded Aluminum Alloy 6201-T81 Conductors							
CODE WORD	Base Price PER CWT (1) (2)	Base Price Per MFT (1) (2)	Size CMIL	Stranding	ACSR Equal Diameter		Total Net Wt. Lbs. Per 1000 FEET
					Size AWG/CMIL	Stranding	
ALTON	\$365.00	\$166.82	48,690	7	4	6/1	45.7
AMES	\$323.00	\$234.76	77,470	7	2	6/1	72.7
AZUSA	\$309.00	\$357.37	123,300	7	1/0	6/1	115.7
ANAHEIM	\$302.00	\$441.20	155,400	7	2/0	6/1	145.9
AMHERST	\$293.00	\$537.65	195,700	7	3/0	6/1	183.7
ALLIANCE	\$288.00	\$668.42	246,900	7	4/0	6/1	231.8
BUTTE	\$315.00	\$925.90	312,800	19	266,800	26/7	293.6
CANTON	\$306.00	\$1,131.78	394,500	19	336,400	26/7	370.3
CAIRO	\$303.00	\$1,325.90	465,500	19	397,500	26/7	436.9
DARIEN	\$299.00	\$1,571.19	559,500	19	477,000	26/7	525.2
ELGIN	\$295.00	\$1,805.60	652,400	19	556,500	26/7	612.4
FLINT	\$274.00	\$1,907.62	740,800	37	636,000	26/7	695.4
GREELEY	\$264.00	\$2,293.68	927,200	37	795,000	26/7	870.4

1. Prices for other constructions available on inquiry.
2. Packaging information is shown on reverse side of this page



Bare Aluminum Conductor AAAC

All Aluminum Alloy (6201) Conductor Alternative Standard Packages												
CODE WORD	Package Type/Size	Foot-age	Cond'r Pounds	Package Type/Size	Foot-age	Cond'r Pounds	Package Type/Size	Foot-age	Cond'r Pounds	Package Type/Size	Foot-age	Cond'r Pounds
ALTON	NR 42.28	30630	1400	NR 36.22	15315	700	Coil	4375	200			
AMES	NR 42.28	19260	1400	NR 36.22	9630	700	Coil	2750	200			
AZUSA	NR 42.28	12100	1400	NR 36.22	6050	700	Coil	1730	200			
ANAHEIM	NR 42.28	9600	1400	NR 36.22	4800	700						
AMHERST	NR 42.28	7620	1400	NR 36.22	3810	700						
ALLIANCE	NR 42.28	6040	1400	NR 36.22	3020	700						
BUTTE	NR 66.28	12940	3800	RM 66.32	12940	3800	RM 68.38	12940	3800	NR 48.28	6470	1900
CANTON	NR 66.28	10260	3800	RM 66.32	10260	3800	RM 68.38	10260	3800	NR 48.28	5130	1900
CAIRO	NR 66.28	8700	3800	RM 66.32	8700	3800	RM 68.38	8700	3800	NR 48.28	4350	1900
DARIEN	NR 66.28	7240	3800	RM 66.32	7240	3800	RM 68.38	7240	3800	NR 48.28	3620	1900
ELGIN	NR 66.28	6210	3800	RM 66.32	6210	3800	RM 68.38	6210	3800	NR 48.28	3105	1900
FLINT	RMT 96.60	15960	11100	RMT 84.45	10640	7400	NR 66.28	5320	3700	RM 68.38	5320	3700
GREELEY	RMT 96.60	12750	11100	RMT 84.45	8500	7400	NR 66.28	4250	3700	RM 68.38	4250	3700



Bare Aluminum Conductor AAC

ASTM: B230---Specification for Aluminum 1350-H19 Wire for Electrical Purposes					
B231---Specification for Concentric-Lay-Stranded 1350 Aluminum Conductors					
CODE WORD	BASE PRICE PER CWT (1) (2)	Base Price Per MFT (1) (2)	Size AWG/CMIL	Stranding	Approx. Net Weight Lbs. Per 1000 Feet
ROSE	\$308.00	\$120.66	4	7	39.2
IRIS	\$298.00	\$185.70	2	7	62.3
POPPY	\$278.00	\$275.06	1/0	7	99.1
ASTER	\$272.00	\$339.93	2/0	7	124.9
PHLOX	\$265.00	\$416.75	3/0	7	157.5
OXLIP	\$266.00	\$527.64	4/0	7	198.6
VALERIAN	\$293.00	\$686.92	250,000	19	234.7
DAISY	\$259.00	\$649.30	266,800	7	250.5
LAUREL	\$289.00	\$725.05	266,800	19	250.5
TULIP	\$284.00	\$897.00	336,400	19	315.8
DAFFODIL	\$297.00	\$975.94	350,000	19	328.6
CANNA	\$276.00	\$1,031.82	397,500	19	373.2
COSMOS	\$286.00	\$1,281.60	477,000	19	447.8
SYRINGA	\$289.00	\$1,296.11	477,000	37	447.8
ZINNIA	\$280.00	\$1,313.01	500,000	19	469.4
HYACINTH	\$289.00	\$1,358.63	500,000	37	469.4
DAHLIA	\$280.00	\$1,461.26	556,500	19	522.4
MISTLETOE	\$287.00	\$1,500.75	556,500	37	522.4
MEADOWSWEET	\$285.00	\$1,605.80	600,000	37	563.2
ORCHID	\$281.00	\$1,676.38	636,000	37	597.0
VIOLET	\$281.00	\$1,886.13	715,500	37	671.7
PETUNIA	\$275.00	\$1,938.82	750,000	37	704.0
ARBUTUS	\$274.00	\$2,047.25	795,000	37	746.3
LILAC	\$278.00	\$2,071.43	795,000	61	746.3
MAGNOLIA	\$270.00	\$2,418.12	954,000	37	895.6
GOLDENROD	\$275.00	\$2,469.24	954,000	61	896.6
BLUEBELL	\$268.00	\$2,598.58	1,033,500	37	970.2
LARKSPUR	\$269.00	\$2,609.06	1,033,500	61	970.2
MARIGOLD	\$265.00	\$2,765.07	1,113,000	61	1045.0
HAWTHORN	\$264.00	\$2,948.79	1,192,500	61	1119.0
NARCISSUS	\$256.00	\$3,056.16	1,272,000	61	1194.0
COLUMBINE	\$256.00	\$3,248.13	1,351,600	61	1269.0
CARNATION	\$255.00	\$3,423.04	1,431,000	61	1343.0
COREOPSIS	\$255.00	\$3,805.36	1,590,000	61	1493.0
JESSAMINE	\$268.00	\$4,400.61	1,750,000	61	1643.0
JEWELWEED	\$268.00	\$5,024.68	2,000,000	61	1876.0
LUPINE	\$402.00	\$9,521.71	2,500,000	91	2370.0

Tie Wire (2)					
CODE WORD	BASE PRICE PER CWT (3)	Base Price Per MFT (3)	Size AWG/CMIL	Stranding	Approx. Net Weight Lbs. Per 1000 Feet
6	\$488.00	\$118.13	6	1	24.2
4	\$421.00	\$161.74	4	1	38.4
2	\$369.00	\$225.68	2	1	61.1

1. Prices for other constructions available on inquiry.
2. Packaging information is shown on the reverse side of this page
3. Available in 50 lb. coils only.



Bare Aluminum Conductor AAC

CODE WORD	Package Type/Size.	Footage	Condr Pounds	Package Type/Size	Footage	Condr Pounds	Package Type/Size	Footage	Condr Pounds	Package Type/Size	Footage	Condr Pounds	Package Type/Size	Footage	Condr Pounds
ROSE	NR 42.28	35710	1400	NR. 36.22	17855	700	Coil	5100	200						
IRIS	NR 42.28	22470	1400	NR. 36.22	11235	700	Coil	3210	200						
POPPY	NR 42.28	14130	1400	NR. 36.22	7065	700	Coil	2020	200						
ASTER	NR 42.28	11210	1400	NR. 36.22	5605	700									
PHLOX	NR 42.28	8890	1400	NR. 36.22	4445	700									
OXLIP	NR 42.28	7050	1400	NR. 36.22	3525	700									
VALERIAN	NR 66.28	16190	3800	RM 66.32	16190	3800	RM 68.38	16190	3800	NR 48.28	8095	1900	NR 42.28	5395	1265
DAISY	NR 42.28	5590	1400	NR 36.22	2795	700									
LAUREL	NR 66.28	15170	3800	RM 66.32	15170	3800	RM 68.38	15170	3800	NR 48.28	7585	1900	NR 42.28	5055	1265
TULIP	NR 66.28	12030	3800	RM 66.32	12030	3800	RM 68.38	12030	3800	NR 48.28	6015	1900	NR 42.28	4010	1265
DAFFODIL	NR 66.28	11560	3800	RM 66.32	11560	3800	RM 68.38	11560	3800	NR 48.28	5780	1900	NR 42.28	3855	1265
CANNA	NR 66.28	10180	3800	RM 66.32	10180	3800	RM 68.38	10180	3800	NR 48.28	5090	1900	NR 42.28	3395	1265
COSMOS	NR 66.28	8490	3800	RM 66.32	8490	3800	RM 66.38	8490	3800	NR 48.28	4245	1900	NR 42.28	2830	1265
SYRINGA	RMT 84.45	16530	7400	RM 66.28	8265	3700	RM 66.32	8265	3700	RM 68.38	8265	3700	NR 48.28	4135	1850
ZINNIA	NR 66.28	8100	3800	RM 66.32	8100	3800	RM 68.38	8100	3800	NR 48.28	4050	1900	NR 42.28	2700	1265
HYACINTH	RMT 84.45	15760	7400	RM 66.28	7880	3700	RM 66.32	7880	3700	RM 68.38	7880	3700	NR 48.28	3940	1850
DAHLIA	NR 66.28	7270	3800	RM 66.32	7270	3800	RM 68.38	7270	3800	NR 48.28	3635	1900	NR 42.28	2425	1265
MISTLETOE	RMT 84.45	14170	7400	RM 66.28	7085	3700	RM 66.32	7085	3700	RM 68.38	7085	3700	NR 48.28	3545	1850
MEADOWSWEET	RMT 84.45	13140	7400	RM 66.28	6570	3700	RM 66.32	6570	3700	RM 68.38	6570	3700	NR 48.28	3285	1850
ORCHID	RMT 96.60	18590	11100	RMT 84.45	12400	7400	RM 66.28	6200	3700	RM 68.38	6200	3700	NR 48.28	3100	1850
VIOLET	RMT 96.60	16530	11100	RMT 84.45	11020	7400	RM 66.28	5510	3700	RM 68.38	5510	3700	NR 48.28	2755	1850
PETUNIA	RMT 96.60	15770	11100	RMT 84.45	10510	7400	RM 66.28	5255	3700	RM 68.38	5255	3700	NR 48.28	2630	1850
ARBUTUS	RMT 96.60	14870	11100	RMT 84.45	9920	7400	RM 66.28	4960	3700	RM 68.38	4960	3700	NR 48.28	2480	1850
LILAC	RMT 96.60	21250	15860	RMT 90.45	13080	9760	RM 68.38	6540	4880						
MAGNOLIA	RMT 96.60	12390	11100	RMT 84.45	8260	7400	NR 66.28	4130	3700	NR 68.38	4130	3700	NR 48.28	2065	1850
GOLDENROD	RMT 96.60	17710	15860	RMT 90.45	10900	9760	RM 68.38	5450	4880						
BLUEBELL	RMT 96.60	11440	11100	RMT 84.45	7630	7400	NR 66.28	3815	3700	NR 68.38	3815	3700	NR 48.28	1910	1850
LARKSPUR	RMT 96.60	16350	15860	RMT 90.45	10060	9760	RM 68.38	5030	4880						
MARIGOLD	RMT 96.60	15180	15860	RMT 90.45	9340	9760	RM 68.38	4670	4880						
HAWTHORN	RMT 96.60	14170	15860	RMT 90.45	8720	9760	RM 68.38	4360	4880						
NARCISSUS	RMT 96.60	13280	15860	RMT 90.45	8170	9760	RM 68.38	4085	4880						
COLUMBINE	RMT 96.60	12500	15860	RMT 90.45	7690	9760	RM 68.38	3845	4880						
CARNATION	RMT 96.60	11180	15860	RMT 90.45	7270	9760	RM 68.38	3635	4880						
COREOPSIS	RMT 96.60	10620	15860	RMT 90.45	6540	9760	RM 68.38	3270	4880						
JESSAMINE	RMT 96.60	9650	15860	RMT 90.45	5940	9760	RM 68.38	2870	4880						
JEWELWEED	RMT 96.60	8460	15860	RMT 90.45	5200	9760									
LUPINE	RMT 96.60	6720	15930	RMT 90.45	3840	9100									

Tie Wire

Size	Package Type	Footage	Conductor Pounds
6	Coil	2066	50
4	Coil	1302	50
2	Coil	818	50

Bare Aluminum Conductor ACSR



Aluminum Conductor Steel Reinforced - ACSR							
ASTM: B230 - Specification for Aluminum 1350-H19 Wire for Electrical Purposes							
B232 - Specification for Concentric Lay-Stranded Aluminum Conductors, Coated -Steel Reinforced (ACSR)							
B498 - Specification for Zinc-Coated (Galvanized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR)							
CODE WORD	BASE PRICE PER CWT (1) (2)	Base Price Per MFT (1) (2)	Size AWG/CMIL	Stranding Al/Steel	Aluminum Net Weight Lbs. Per 1000 Feet		
					Total	Aluminum	Class A Steel
SWAN	\$321.00	\$184.12	4	6/1	57.4	39.0	18.4
SWANATE	\$302.00	\$202.61	4	7/1	67.0	39.0	28.0
SPARROW	\$248.00	\$226.79	2	6/1	91.3	62.0	29.3
SPARATE	\$279.00	\$297.31	2	7/1	106.7	62.0	44.7
RAVEN	\$235.00	\$342.09	1/0	6/1	145.3	98.7	46.6
QUAIL	\$232.00	\$425.39	2/0	6/1	183.2	124.4	58.8
PIGEON	\$229.00	\$528.44	3/0	6/1	230.8	156.7	74.1
PENGUIN	\$228.00	\$663.36	4/0	6/1	291.1	197.7	93.4
WAXWING	\$280.00	\$809.79	266,800	18/1	289.5	250.3	39.2
PARTRIDGE	\$283.00	\$1,039.31	266,800	26/7	367.3	251.7	115.6
MERLIN	\$270.00	\$986.04	336,400	18/1	365.2	315.7	49.5
LINNET	\$262.00	\$1,214.05	336,400	26/7	462.6	317.1	145.5
ORIOLE	\$247.00	\$1,303.62	336,400	30/7	527.1	318.1	209.0
CHICKADEE	\$266.00	\$1,146.67	397,500	18/1	431.6	373.1	58.5
IBIS	\$254.00	\$1,387.27	397,500	26/7	546.6	374.7	171.9
LARK	\$248.00	\$1,547.04	397,500	30/7	622.8	375.9	246.9
PELICAN	\$270.00	\$1,398.60	477,000	18/1	518.0	447.8	70.2
FLICKER	\$239.00	\$1,465.50	477,000	24/7	614.0	449.5	164.5
HAWK	\$247.00	\$1,622.42	477,000	26/7	656.0	449.6	206.4
HEN	\$235.00	\$1,759.68	477,000	30/7	747.4	451.1	296.3
OSPREY	\$258.00	\$1,559.30	556,500	18/1	604.1	522.2	81.9
PARAKEET	\$251.00	\$1,796.26	556,500	24/7	716.9	525.1	191.8
DOVE	\$245.00	\$1,877.93	556,500	26/7	766.0	524.9	241.1
KINGBIRD	\$255.00	\$1,760.71	636,000	18/1	690.8	597.2	93.6
ROOK	\$247.00	\$2,026.05	636,000	24/7	819.2	600.0	219.2
GROSBEAK	\$241.00	\$2,107.83	636,000	26/7	875.2	599.9	275.3
FLAMINGO	\$270.00	\$2,319.03	666,600	24/7	858.9	629.1	229.8

1. Base Prices listed are for Conductor with Class A Steel Core. Prices for other constructions available on inquiry.

2. Packaging information is shown on reverse side of this page.



Bare Aluminum Conductor ACSR

Aluminum Conductor Steel Reinforced- ACSR Alternative Standard Packages												
CODE WORD	Package Type/Size	Footage	Cond'r Pounds	Package Type/Size	Footage	Cond'r Pounds	Package Type/Size	Footage	Cond'r Pounds	Package Type/Size	Footage	Cond'r Pounds
SWAN	NR 36.32	15420	885	Coil	3835	200						
SWANATE	NR 38.22	17910	1200	NR 30.22	8955	600	Coil	3580	240			
SPARROW	NR 42.28	19390	1770	NR 36.22	9695	885	Coil	2410	220			
SPARATE	NR 38.22	11250	1200	NR 30.22	5625	600	Coil	2250	240			
RAVEN	NR 42.28	12190	1770	NR 36.22	6095	885	Coil	1515	220			
QUAIL	NR 42.28	9670	1770	NR 36.22	4835	885						
PIGEON	NR 42.28	7670	1770	NR 36.22	3835	885						
PENGUIN	NR 42.28	6080	1770	NR 36.22	3040	885						
WAXWING	NR 66.28	14360	4160	RM 66.32	14360	4160	RM 68.38	14360	4160	NR 48.28	7180	2080
PARTRIDGE	NR 60.28	10330	3795									
MERLIN	NR 66.28	11390	4160	RM 66.32	11390	4160	RM 68.38	11390	4160	NR 48.28	5695	2080
LINNET	RMT 84.36	16390	7590	RMT 84.45	16390	7590	NR 60.28	8195	3795			
ORIOLE	NR 66.28	9430	4970	RM 66.32	9430	4970	RM 68.38	9430	4970			
CHICKADEE	NR 66.28	9630	4160	RM 66.32	9630	4160	RM 68.38	9630	4160	NR 48.28	4815	2080
IBIS	RMT 84.36	13870	7590	RMT 84.45	13870	7590	NR 60.28	6935	3795			
LARK	NR 66.28	7980	4970	RM 66.32	7980	4970	RM 68.38	7980	4970			
PELICAN	NR 66.28	8030	4160	RM 66.32	8030	4160	RM 68.38	8030	4160			
FLICKER	NR 60.28	5335	3275	RM 68.38	10660	6545	RMT 84.36	10660	6550	RMT 84.45	10660	6550
HAWK	RMT 84.36	11560	7590	RMT 84.45	11560	7590	NR 60.28	5780	3795			
HEN	NR 66.28	6650	4970	RM 66.32	6890	4970	RM 68.38	6650	4970			
OSPREY	NR 66.28	6890	4160	RM 66.32	6890	4160	NR 48.28	3445	2080	NR 42.28	2295	1385
PARAKEET	RMT 84.36	9140	6550	RMT 84.45	9140	6550	NR 60.28	4570	3275			
DOVE	RMT 84.36	9910	7590	RMT 84.45	9910	7590	NR 60.28	4955	3795			
KINGBIRD	RMT 84.36	9060	6250	RMT 84.45	9060	6250	NR 66.28	6020	4160	RM 68.38	6020	4160
ROOK	RMT 90.45	12000	9830	RMT 84.36	8000	6550	RMT 84.45	8000	6550	NR 60.28	4000	3275
GROSBEAK	RMT 90.45	13010	11380	RMT 84.36	8670	7590	RMT 84.45	8670	7590	NR 60.28	4335	3795
FLAMINGO	RMT 84.45	11460	9830	RMT 84.36	7630	6550	RMT 84.45	7630	6550	NR 60.28	3815	3275



Bare Aluminum Conductor ACSR

Aluminum Conductor Steel Reinforced-- ACSR							
ASTM: B230--Specification for Aluminum 1350-H19 Wire for Electrical Purposes							
B232--Specification for Concentric Lay-Stranded Aluminum Conductors, Coated -Steel Reinforced (ACSR)							
B498 --Specification for Zinc-Coated (Galvanized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR)							
CODE WORD	BASE PRICE PER CWT (1) (2)	BASE PRICE PER MFT (1) (2)	Size AWG/CMIL	Stranding Al/Steel	Aluminum Net Weight Lbs. Per 1000 Feet		
					Total	Aluminum	Class A Steel
COOT	\$ 270.00	\$ 2,173.50	795,000	36/1	805	746	59
TERN	\$ 247.00	\$ 2,216.23	795,000	45/7	896	750	146
CUCKOO	\$ 244.00	\$ 2,499.38	795,000	24/7	1024	750	274
CONDOR	\$ 254.00	\$ 2,598.91	795,000	54/7	1024	750	274
DRAKE	\$ 235.00	\$ 2,575.71	795,000	26/7	1094	750	344
CANARY	\$ 272.00	\$ 3,154.33	900,000	54/7	1159	849	310
RAIL	\$ 242.00	\$ 2,603.06	954,000	45/7	1076	900	176
CARDINAL	\$ 270.00	\$ 3,318.30	954,000	54/7	1229	900	329
ORTOLAN	\$ 242.00	\$ 2,815.95	1,033,500	45/7	1164	974	190
CURLEW	\$ 268.00	\$ 3,562.27	1,033,500	54/7	1330	974	356
BLUEJAY	\$ 240.00	\$ 3,008.99	1,113,000	45/7	1255	1050	205
BUNTING	\$ 239.00	\$ 3,207.86	1,192,500	45/7	1344	1125	219
BITTERN	\$ 238.00	\$ 3,407.18	1,272,000	45/7	1434	1200	234
PHEASANT	\$ 248.00	\$ 4,061.34	1,272,000	54/19	1635	1206	429
DIPPER	\$ 237.00	\$ 3,602.20	1,351,500	45/7	1523	1275	248
MARTIN	\$ 243.00	\$ 4,220.91	1,351,500	54/19	1737	1281	456
BOBOLINK	\$ 257.00	\$ 4,146.06	1,431,000	45/7	1613	1350	263
LAPWING	\$ 258.00	\$ 4,625.51	1,590,000	45/7	1792	1500	292
FALCON	\$ 264.00	\$ 5,386.35	1,590,000	54/19	2044	1507	537
CHUKAR	\$ 318.00	\$ 6,588.54	1,780,000	84/19	2075	1688	387
BLUEBIRD	\$ 313.00	\$ 7,864.45	2,156,000	84/19	2511	2043	468
KIWI	\$ 306.00	\$ 7,038.89	2,167,000	72/7	2303	2054	249
THRASHER	\$ 293.00	\$ 7,396.02	2,312,000	76/19	2527	2192	335
JOREE	\$ 285.00	\$ 7,837.95	2,515,000	76/19	2749	2384	365

High Strength, Aluminum Conductor, Steel Reinforced--ACSR							
CODE WORD	BASE PRICE PER CWT (1) (2)	Base Price Per MFT	Size AWG/CMIL	Stranding Al/Steel	Aluminum Net Weight Lbs. Per 1000 Feet		
					Total	Aluminum	Class A Steel
GROUSE	\$ 386.00	\$ 574.48	80	8/1	149.0	75.1	73.9
PETREL	\$ 341.00	\$ 865.83	101.80	12/7	253.7	95.9	158.1
MINORCA	\$ 339.00	\$ 937.33	110.80	12/7	276.4	103.9	172.1
GUINEA	\$ 333.00	\$ 1,318.25	159.00	12/7	396.3	149.1	246.9
DORKING	\$ 327.00	\$ 1,557.66	190.80	12/7	476.0	179.7	296.3
COCHIN	\$ 302.00	\$ 1,592.14	211.30	12/7	526.5	198.8	328.2

1. Base Prices listed are for Conductor with Class A Steel Core. Prices for other constructions available upon inquiry.
 2. Packaging information is shown on reverse side of this page.



Bare Aluminum Conductor ACSR

Aluminum Conductor, Steel Reinforced - ACSR Alternative Standard Packages												
CODE WORD	Package Type/Size.	Footage	Condr Pounds	Package Type/Size	Footage	Condr Pounds	Package Type/Size	Footage	Condr Pounds	Package Type/Size	Footage	Condr Pounds
COOT	RMT 96.60	14470	11650	RMT 84.45	9640	7760						
TERN	RMT 96.60	18000	16130	RMT 90.45	12000	10750	RM 68.38	6000	5375	NR 60.28	4000	3585
CUCKOO	RMT 96.60	9610	9830	RMT 84.36	6400	6550	RMT 84.45	6400	6550	NR 60.28	3200	3275
CONDOR	RMT 96.60	18720	19170	RMT 90.45	10800	11060						
DRAKE	RMT 90.45	10400	11380	RMT 84.36	6940	7590	RMT 84.45	6940	7590	NR 60.28	3470	3795
CANARY	RMT 96.60	16540	19170	RMT 90.45	9540	11060						
RAIL	RMT 96.60	15000	16130	RMT 90.45	10000	10750	RM 68.38	5000	5375	NR 60.28	3335	3585
CARDINAL	RMT 96.60	15600	19170	RMT 90.45	9000	11060						
ORTOLAN	RMT 96.60	13850	16130	RMT 90.45	9230	10750	RM 68.38	4615	5375	NR 60.28	3075	3585
CURLEW	RMT 96.60	14400	19170	RMT 90.45	8310	11060						
BLUEJAY	RMT 96.60	12850	16130	RMT 90.45	8570	10750	RM 68.38	4285	5375	NR 60.28	2855	3585
BUNTING	RMT 96.60	12000	16130	RMT 90.45	8000	10750	RM 68.38	4000	5375	NR 60.28	2665	3585
BITTERN	RMT 96.60	11250	16130	RMT 90.45	7500	10750	RM 68.38	3750	5375	NR 60.28	2500	3585
PHEASANT	RMT 96.60	11650	19040	RMT 90.45	6720	10980						
DIPPER	RMT 96.60	10590	16130	RMT 90.45	7060	10750	RM 68.38	3530	5375	NR 60.28	2355	3585
MARTIN	RMT 96.60	10960	19040	RMT 90.45	6320	10980						
BOBOLINK	RMT 96.60	10000	16130	RMT 90.45	6665	10750	RM 68.38	3335	5375	NR 60.28	2200	3585
LAPWING	RMT 96.60	9000	16130	RMT 90.45	6000	10750	RM 68.38	3000	5375	NR 60.28	2000	3585
FALCON	RMT 96.60	9320	19040	RMT 90.45	5370	10980						
CHUKAR	RMT 96.60	9200	19080									
BLUEBIRD	RMT 96.60	7500	18830									
KIWI	RMT 96.60	7000	16120									
THRASHER	RMT 96.60	7000	17690									
JOREE	RMT 96.60	6300	17325									

High Strength ACSR Standard Packages			
Code Word	Package Size	Footage	Conductor Pounds
GROUSE	NR 36.22	7580	1130
PETREL	NR 48.28	12500	3175
MINORCA	NR 48.28	11480	3175
GUINEA	NR 48.28	8000	3175
DORKING	NR 48.28	6665	3175
COCHIN	NR 48.28	6020	3175

Bare Aluminum Conductor ACSR (TP) Twisted Pair Conductors



Aluminum Conductor Steel Reinforced - ACSR/TP

ASTM B-911 Specification for ACSR Twisted Pair Conductor (ACSR/TP)

CODE WORD	BASE PRICE PER CWT (1) (2)	Base Price Per MFT (1) (2)	Equivalent Size (AWG or kcmil)	Size AWG/CMIL	Aluminum Net Weight Lbs. Per 1000 Feet		
					Total	Aluminum	Class A Steel
SWAN / GR2™	\$417.00	\$478.58	1	2x#4-6/1	114.8	78.0	36.8
SWALLOW / GR2™	\$370.00	\$536.40	1/0	2x#3-6/1	144.8	98.6	46.8
SPARROW / GR2™	\$348.00	\$634.31	2/0	2x#2-6/1	182.4	124.0	58.4
ROBIN / GR2™	\$316.00	\$727.81	3/0	2x#1-6/1	230.0	156.2	73.8
RAVEN / GR2™	\$301.00	\$875.03	4/0	2x#1/0-6/1	290.4	197.2	93.2
QUAIL / GR2™	\$291.00	\$1,062.14	266,200	2x#2/0-6/1	365.6	248.8	117.6
PENGUIN / GR2™	\$284.00	\$1,651.98	423,200	2x#4/0-6/1	581.6	395.4	186.8

1. Base Prices listed are for Conductor with Class A Steel Core. Prices for other constructions available on inquiry.

2. Packaging information is shown on reverse side of this page.



Aluminum Conductor Steel Reinforced- ACSR/TP Alternative Standard Packages			
CODE WORD	Package Type/Size	Footage	Cond'r Pounds
SWAN/GR2™	NR 48.28	15418	1770
SWALLOW/GR2™	NR 48.28	12224	1770
SPARROW/GR2™	NR 60.28	9703	1770
ROBIN/GR2™	NR 48.28	7696	1770
RAVEN/GR2™	NR 60.28	6095	1770
QUAIL/GR2™	NR 60.28	4841	1770
PENGUIN/GR2™	NR 60.28	3043	1770



Bare Aluminum Conductor ACAR

ASTM: B230--Specification for Aluminum 1350-H19 Wire for Electrical Purposes B389--Specification for Aluminum Alloy 6201-T81 Wire for Electrical Purposes B524-Specification for Concentric-Lay-Stranded Aluminum Conductors Aluminum-Alloy Reinforced (ACAR, 1350/6201)						
Size CMIL	BASE PRICE PER CWT (1) (2)	BASE PRICE PER MFT (1) (2)	Stranding EC/6201	Similar To ACSR	Conductor O.D. (Inches)	Total Net Wt. Lbs. 1000 Ft.
503,600	\$320.00	\$1,511.13	15/4 x .1628	Pelican 477,000-18/1	0.814	472.7
649,500	\$300.00	\$1,830.86	18/19 x .1325		0.928	609.8
653,100	\$294.00	\$1,801.04	12/7 x .1854	Dove -556,500-26/7	0.927	613.1
739,800	\$301.00	\$2,092.67	18/19 x .1414	Grosbeak-636,000-26/7	0.99	694.5
853,700	\$299.00	\$2,397.77	30/7 x .1519		1.063	801.5
853,700	\$299.00	\$2,397.77	24/13 x .1519	Tern-795,000-45/7	1.063	801.5
927,200	\$296.00	\$2,575.69	18/19 x .1583	Drake-795,000-26/7	1.108	870.4
1,024,500	\$274.00	\$2,638.14	30/7 x .1664		1.165	961.7
1,024,500	\$283.00	\$2,721.51	24/13 x .1664	Rail-954,000-45/7	1.165	961.8
1,081,000	\$296.00	\$3,002.11	18/19 x .1709	Cardinal-954,000-45/7	1.196	1014.5
1,361,000	\$280.00	\$3,575.38	54/7 x .1494	Bittern-1,272,000-45/7	1.345	1278.2
1,703,000	\$299.00	\$4,783.57	48/13 x .1671	Lapwing-1,590,000-45/7	1.504	1599.0
1,933,000	\$287.00	\$5,212.41	42/19 x .1780	Chukar-1,780,000-84/19	1.602	1814.4
2,338,000	\$315.00	\$6,991.53	42/19 x .1958	Bluebird-2,156,000-84/19	1.762	2217.0
2,493,000	\$306.00	\$7,222.27	54/37 x .1655		1.821	2363.0

1. Prices for other constructions available on inquiry
2. Packaging information is shown on reverse side of this page



Bare Aluminum Conductor ACAR

Code Word	Package Type/Size	Foot-age	Condr Pounds	Package Type/Size	Foot-age	Condr Pounds	Package Type/Size	Foot-age	Condr Pounds	Package Type/Size	Foot-age	Condr Pounds
503,600	NR 66.28	8,040	3,800	RM 66.32	8,040	3,800	NR 48.28	4,020	1,900	NR 42.28	2,675	1,265
649,500	NR 66.28	6,230	3,800	RM 66.32	6,230	3,800	NR 48.28	3,115	1,900	NR 42.28	2,075	1,265
653,100	NR 66.28	6,200	3,800	RM 66.32	6,200	3,800	NR 48.28	3,100	1,900	NR 42.28	2,065	1,265
739,800	RMT 96.60	15,980	11,100	RM 84.45	10,650	7,400	NR 66.28	5,330	3,700	NR 48.28	2,665	1,850
853,700	RMT 96.60	13,850	11,100	RM 84.45	9,230	7,400	NR 66.28	4,615	3,700	NR 48.28	2,310	1,850
927,200	RMT 96.60	12,750	11,100	RM 84.45	8,500	7,400	NR 66.28	4,250	3,700	NR 48.28	2,125	1,850
1,024,500	RMT 96.60	11,540	11,100	RM 84.45	7,690	7,400	NR 66.28	3,850	3,700	NR 48.28	1,925	1,850
1,081,000	RMT 96.60	11,940	11,100	RM 84.45	7,290	7,400	NR 66.28	3,650	3,700			
1,361,000	RMT 96.60	7,635	9,760	RMT 90.45	7,635	9,760	RM 68.38	3,820	4,880			
1,703,000	RMT 96.60	6,105	9,760	RMT 90.45	6,105	9,760	RM 68.38	3,050	4,880			
1,933,000	RMT 96.60	5,380	9,760	RMT 90.45	5,380	9,760						
2,338,000	RMT 96.60	4,400	9,760	RMT 90.45	4,400	9,760						
2,493,000	RMT 96.60	3,860	9,100	RMT 90.45	3,850	9,100						

Bare Aluminum Conductor HiTempEC ACSS



Aluminum Conductor Steel Supported - ACSS

ASTM: B856 - Specification for Concentric-Lay Stranded Aluminum Conductors, Coated Steel Supported (ACSS)

CODE WORD	BASE PRICE PER CWT (1) (2)	Base Price Per MFT (1) (2)	Size AWG/CMIL	Stranding Al/Steel	Aluminum Net Weight Lbs. Per 1000 Feet		
					Total	Aluminum	Class A Steel
PARTRIDGE	\$ 292.00	\$ 1,069.88	266,800	26/7	366.9	251.3	115.6
LINNET	\$ 300.00	\$ 1,387.11	336,400	26/7	462.0	316.5	145.5
ORIOLE	\$ 309.00	\$ 1,625.94	336,400	30/7	526.4	317.4	209.0
IBIS	\$ 301.00	\$ 1,645.21	397,500	26/7	546.0	374.1	171.9
LARK	\$ 295.00	\$ 1,833.32	397,500	30/7	621.8	374.9	246.9
FLICKER	\$ 300.00	\$ 1,843.17	477,000	24/7	613.9	449.4	164.5
HAWK	\$ 281.00	\$ 1,840.08	477,000	26/7	655.3	448.9	206.4
HEN	\$ 272.00	\$ 2,031.40	477,000	30/7	746.4	450.1	296.3
PARAKEET	\$ 279.00	\$ 1,995.34	556,500	24/7	716.1	524.3	191.8
DOVE	\$ 274.00	\$ 2,099.10	556,500	26/7	765.2	524.1	241.1
ROOK	\$ 287.00	\$ 2,350.52	636,000	24/7	818.2	599.0	219.2
GROSBEAK	\$ 283.00	\$ 2,473.64	636,000	26/7	874.2	598.9	275.3
FLAMINGO	\$ 285.00	\$ 2,446.04	666,600	24/7	857.9	628.1	229.8
TERN	\$ 285.00	\$ 2,551.82	795,000	45/7	895.0	748.9	146.1
CUCKOO	\$ 270.00	\$ 2,762.10	795,000	24/7	1023.0	749.0	274.0
CONDOR	\$ 301.00	\$ 3,079.49	795,000	54/7	1022.0	748.0	274.0
DRAKE	\$ 265.00	\$ 2,892.08	795,000	26/7	1093.0	749.0	344.0
CANARY	\$ 274.00	\$ 3,176.63	900,000	54/7	1158.0	848.0	310.0
RAIL	\$ 275.00	\$ 2,957.80	954,000	45/7	1074.0	898.0	176.0
CARDINAL	\$ 269.00	\$ 3,299.65	954,000	54/7	1227.0	898.0	329.0
ORTOLAN	\$ 275.00	\$ 3,202.90	1,033,500	45/7	1163.0	973.0	190.0
CURLEW	\$ 266.00	\$ 3,530.89	1,033,500	54/7	1329.0	973.0	356.0
BLUEJAY	\$ 281.00	\$ 3,521.23	1,113,000	45/7	1254.0	1049.0	205.0
BUNTING	\$ 272.00	\$ 3,652.39	1,192,500	45/7	1342.0	1123.0	219.0
BITTERN	\$ 270.00	\$ 3,866.40	1,272,000	45/7	1432.0	1198.0	234.0
PHEASANT	\$ 274.00	\$ 4,482.39	1,272,000	54/19	1634.0	1205.0	429.0
DIPPER	\$ 308.00	\$ 4,681.64	1,351,500	45/7	1521.0	1273.0	248.0
MARTIN	\$ 280.00	\$ 4,853.14	1,351,500	54/19	1735.0	1279.0	456.0
BOBOLINK	\$ 309.00	\$ 4,976.06	1,431,000	45/7	1611.0	1348.0	263.0
LAPWING	\$ 268.00	\$ 4,794.34	1,590,000	45/7	1790.0	1498.0	292.0
FALCON	\$ 278.00	\$ 5,667.78	1,590,000	54/19	2042.0	1505.0	537.0
CHUKAR	\$ 285.00	\$ 5,907.69	1,780,000	84/19	2072.0	1685.0	387.0
BLUEBIRD	\$ 276.00	\$ 6,934.12	2,156,000	84/19	2508.0	2040.0	468.0
KIWI	\$ 300.00	\$ 6,908.52	2,167,000	72/7	2301.0	2052.0	249.0
THRASHER	\$ 283.00	\$ 7,139.08	2,312,000	76/19	2523.0	2188.0	335.0
JOREE	\$ 283.00	\$ 7,778.57	2,515,000	76/19	2749.0	2384.0	365.0

1. Base Prices listed are for conductor with special corrosion resistant zinc-5% Aluminum-Mischmetal Alloy Coated Steel Core Wire. Prices for other constructions available upon inquiry.
2. Packaging information is shown on reverse side of this page.



Bare Aluminum Conductor HiTempEC ACSS

<i>Alternative Standard Packages</i>												
CODE WORD	Package Type/Size	Footage	Cond'r Pounds	Package Type/Size	Footage	Cond'r Pounds	Package Type/Size	Footage	Cond'r Pounds	Package Type/Size	Footage	Cond'r Pounds
PARTRIDGE	NR 60.28	10330	3795									
LINNET	RMT 84.36	16390	7590	RMT 84.45	16390	7590	NR 60.28	8195	3795			
ORIOLE	NR 66.28	9430	4970	RM 66.32	9430	4970	RM 68.38	9430	4970			
IBIS	RMT 84.36	13870	7590	RMT 84.45	13870	7590	NR 60.28	6935	3795			
LARK	NR 66.28	7980	4970	RM 66.32	7980	4970	RM 68.38	7980	4970			
FLICKER	NR 60.28	5335	3275	RM 68.38	10660	6545	RMT 84.36	10660	6550	RMT 84.45	10660	6550
HAWK	RMT 84.36	11560	7590	RMT 84.45	11560	7590	NR 60.28	5780	3795			
HEN	NR 66.28	6650	4970	RM 66.32	6890	4970	RM 68.38	6650	4970			
PARAKEET	RMT 84.36	9140	6550	RMT 84.45	9140	6550	NR 60.28	4570	3275			
DOVE	RMT 84.36	9910	7590	RMT 84.45	9910	7590	NR 60.28	4955	3795			
ROOK	RMT 90.45	12000	9830	RMT 84.36	8000	6550	RMT 84.45	8000	6550	NR 60.28	4000	3275
GROSBEAK	RMT 90.45	13010	11380	RMT 84.36	8670	7590	RMT 84.45	8670	7590	NR 60.28	4335	3795
FLAMINGO	RMT 84.45	11460	9830	RMT 84.36	7630	6550	RMT 84.45	7630	6550	NR 60.28	3815	3275
TERN	RMT 96.60	18000	16130	RMT 90.45	12000	10750	RM 68.38	6000	5375	NR 60.28	4000	3585
CUCKOO	RMT 96.60	9610	9830	RMT 84.36	6400	6550	RMT 84.45	6400	6550	NR 60.28	3200	3275
CONDOR	RMT 96.60	18720	19170	RMT 90.45	10800	11060						
DRAKE	RMT 90.45	10400	11380	RMT 84.36	6940	7590	RMT 84.45	6940	7590	NR 60.28	3470	3795
CANARY	RMT 96.60	16540	19170	RMT 90.45	9540	11060						
RAIL	RMT 96.60	15000	16130	RMT 90.45	10000	10750	RM 68.38	5000	5375	NR 60.28	3335	3585
CARDINAL	RMT 96.60	15600	19170	RMT 90.45	9000	11060						
ORTOLAN	RMT 96.60	13850	16130	RMT 90.45	9230	10750	RM 68.38	4615	5375	NR 60.28	3075	3585
CURLEW	RMT 96.60	14400	19170	RMT 90.45	8310	11060						
BLUEJAY	RMT 96.60	12850	16130	RMT 90.45	8570	10750	RM 68.38	4285	5375	NR 60.28	2855	3585
BUNTING	RMT 96.60	12000	16130	RMT 90.45	8000	10750	RM 68.38	4000	5375	NR 60.28	2665	3585
BITTERN	RMT 96.60	11250	16130	RMT 90.45	7500	10750	RM 68.38	3750	5375	NR 60.28	2500	3585
PHEASANT	RMT 96.60	11650	19040	RMT 90.45	6720	10980						
DIPPER	RMT 96.60	10590	16130	RMT 90.45	7060	10750	RM 68.38	3530	5375	NR 60.28	2355	3585
MARTIN	RMT 96.60	10960	19040	RMT 90.45	6320	10980						
BOBOLINK	RMT 96.60	10000	16130	RMT 90.45	6665	10750	RM 68.38	3335	5375	NR 60.28	2200	3585
LAPWING	RMT 96.60	9000	16130	RMT 90.45	6000	10750	RM 68.38	3000	5375	NR 60.28	2000	3585
FALCON	RMT 96.60	9320	19040	RMT 90.45	5370	10980						
CHUKAR	RMT 96.60	9200	19080									
BLUEBIRD	RMT 96.60	7500	18830									
KIWI	RMT 96.60	7000	16120									
THRASHER	RMT 96.60	7000	17690									
JOREE	RMT 96.60	6300	17325									